

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	74	(host adj controller\$2) and (frame adj list) and schedul\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:11
L2	11	@ad<"20010601" and (host adj controller\$2) and (frame adj list) and schedul\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:12
L3	77	@ad<"20010601" and ((EHCI) or (host adj controller\$2)) and usb\$4 and split	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:19
L4	559	@ad<"20010601" and isochronous and frame\$2 and interrupt\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:19
L5	3	@ad<"20010601" and (split near isochronous)and frame\$2 and interrupt\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:20
L6	71	@ad<"20010601" and ((schedul\$4) same isochronous same interrupt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:30
L7	34	@ad<"20010601" and ((host adj controller\$2) same schedul\$4) and bandwidth and interrupt\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:31

## EAST Search History

L8	27	@ad<"20010601" and ((host adj controller\$2)) and (interrupt\$2 near priority)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:34
L9	23	@ad<"20010601" and (USB or (Universal adj serial)) and (host adj control\$4) and (queue near head)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:36
L10	55	@ad<"20010601" and (descript\$2 same (host adj control\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:39
L11	102	((increase adj bandwidth)) and usb and interrupt\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:39
L12	11	@ad<"20010601" and ((increase adj bandwidth)) and usb and interrupt\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:40
L14	136	@ad<"20010601" and ((memory or memories or register\$2) same (allocat\$4 or assign\$4) same (USB or (universal adj serial)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:49
L15	5	@ad<"20010601" and (USB\$4 or (universal adj serial)) and (split-iso\$10 or (split adj isochronous))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:49

## EAST Search History

L16	11	@ad<"20010601" and (split-iso\$10 or (split adj isochron\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:52
L17	30	@ad<"20010601" and ((full adj speed) same isochron\$10) and (USB\$4 or (universal adj serial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2006/10/16 09:52